



Developer's Guide: Online Rental Application

Updated: July 2015

Table of Contents

Overview.....	3
XML and the Blue Moon DTD	3
Login Data	3
Setting the Target Property	3
Rental Application Settings.....	4
Example: Passing Rental Application Settings	5
Applicant Data	5
Example: Passing Applicant Data	5
Other Applicant Data.....	5
Example: Passing Other Applicant Data	5
Passing XML Data to the Online Rental Application	6
Setting Custom Field Requirements.....	8
Example: Specifying Required Fields.....	8
About Default Lease Data	8
Example 1: Overriding Default Lease Info.....	8
Example 2: Overriding Default Lease Settings with Empty Values	9
Bypassing the Blue Moon Graphical Interface	9
Example: Passing elements required to bypass graphical interface ..	9
Generating a Printable PDF Directly.....	10
Example: Passing ID of form to print.....	10
Putting it All Together	11
Example: XML Data Set.....	11
Processing Rental Applications.....	12

Overview

The Click & Lease program provides an interface for accepting rental applications via the Internet. A prospective resident visiting your Web site can fill out an official TAA, NAA, AANC or GAA rental application online and submit it to you for review.

This document describes how to format rental application data for import as well as the mechanism for transferring it to the Blue Moon Online Rental Application. It also explains how to access imported rental applications using the Click & Lease program.

XML and the Blue Moon DTD

In order to import data into the Online Rental Application, you must first encapsulate it in XML (eXtensible Markup Language) format. XML is a data format for structured document interchange on the Web. It is a standard defined by The World Wide Web consortium (W3C). Information about XML and related technologies can be found at www.w3.org/XML.

The XML data you pass to the Online Rental Application must adhere to the appropriate Blue Moon Document Type Definition (DTD), which can be found on our Web site in the *Developers* section (please refer to the DTD designated for the state in which you are using your Click & Lease product). The Blue Moon DTD specifies attributes for maximum field length as well as the expected format for data elements. If your data does not adhere to the specifications set out in the DTD, the Online Rental Application will terminate the import process and display an error message.

NOTE:

You will be passing a subset of the entire data set defined in the Blue Moon DTD when importing into the Online Rental Application.

Login Data

You must pass the Click & Lease License (Serial) Number to the Online Rental Application in the <LOGIN> section of your XML. Login data takes the following format:

```
<LOGIN>  
<SERIAL-NUMBER>MySerial</SERIAL-NUMBER>  
</LOGIN>
```

NOTE:

The Serial Number is encapsulated by <LOGIN>tags. You must substitute your own Serial Number for the placeholder “MySerial” shown above.

Setting the Target Property

If you have multiple properties housed under one Serial Number, you can pass a specific property number to the Online Rental Application. The <PROPERTY-NUMBER> element is used to specify the appropriate property. Lease data takes the following format:

```
<LEASE> <COMMON>  
<PROPERTY-NUMBER>MyPropertyNo</PROPERTY-NUMBER>  
</COMMON> </LEASE>
```

NOTE:

The Property Number is encapsulated by <PROPERTY-NUMBER>tags. You must substitute your own Property Number for the placeholder “MyPropertyNo” shown above.

The <PROPERTY-NUMBER> is encapsulated by the parent element set <LEASE> and the data subset <COMMON> in the Blue Moon DTD. For more information, please refer to the relevant requirement description found in the *Passing XML Data to the Online Rental Application* section later in this document.

Rental Application Settings

The <SETTINGS> data subset is encapsulated by the parent element set <RENTALAPP> in the Blue Moon DTD. The values you pass in the <SETTINGS> section affect how the Online Rental Application is displayed and how it is processed upon submission.

The following is a breakdown of the elements that can be passed in the <SETTINGS> section along with the role of each:

Element	Description	Possible Values
<BYPASS>	Instructs application engine to bypass step-by-step graphical interface and submit data directly with no end-user interaction	Boolean (refer to definition later in this document)
<TO-NAME>	Name of property processing rental application	Any
<TO-ASSOCIATION>	Abbreviation of apartment association	TAA, NAA, AANC, GAA
<TO-CITY>	Property city	Any
<TO-STATE>	Property state	Two-letter US state abbreviation
<TO-EMAIL>	E-mail address to which rental application data will be sent upon submission	Any valid E-mail address
<CREDIT-CARDS-ACCEPTED>	Comma-delimited list of credit card types accepted for payment of application fee (if left blank, credit card fields will not be included on rental application)	e.g., MasterCard, Visa, American Express, Discover
<RECEIPT-CONFIRM-NAME>	Text of link displayed on submission confirmation page	Any text message
<RECEIPT-CONFIRM-URL>	Address of Web page linked on submission of confirmation page	Valid HTTP URL
<RECEIPT-REDIRECT-URL>	Address of Web page to which user will be redirected upon application submission (overrides default confirmation page)	Valid HTTP URL

NOTE:

Please note that you are not required to pass values for most of the data elements defined above. However, these options can be used to maximize the functionality of the Online Rental Application.

Example: Passing Rental Application Settings

```
<SETTINGS>
  <TO-NAME>MyProperty</TO-NAME>
  <TO-ASSOCIATION>NAA</TO-ASSOCIATION>
  <TO-CITY>New Orleans</TO-CITY>
  <TO-STATE>LA</TO-STATE>
  <TO-EMAIL>contact@propertyname.com</TO-EMAIL>
  <CREDIT-CARDS-ACCEPTED>MasterCard, Visa</CREDIT-CARDS-ACCEPTED>
  <RECEIPT-CONFIRM-NAME>Property Home Page</RECEIPT-CONFIRM-NAME>
  <RECEIPT-CONFIRM-URL>
    http://www.yourdomain.com/confirmation.html
  </RECEIPT-CONFIRM-URL>
</SETTINGS>
```

Applicant Data

Also encapsulated by the `<RENTALAPP>` parent element set in the Blue Moon DTD is the `<APPLICANT>` data subset. The values you pass in the `<APPLICANT>` section can be used to pre-fill all of the applicant fields on the printed rental application.

In addition, you can include custom data (see *Other Applicant Data* below) that you want to appear in sections of the printed rental application that are designated for completion by the property manager. This information will not be displayed on the Online Rental Application and can be accessed and modified in the Blue Moon Forms software after the application has been submitted.

While none of the data elements in the Other Applicant Data subset are required (unless you are bypassing the Blue Moon graphical interface as described later in this document), you may choose to pass values for as many of these fields as you like. This can be useful if you want to allow information entered by a prospective resident on the property's Web site to carry over into the Online Rental Application.

Example: Passing Applicant Data

```
<APPLICANT>
  <APPLICANT-FIRST-NAME>John</APPLICANT-FIRST-NAME>
  <APPLICANT-MIDDLE-NAME>Richard</APPLICANT-MIDDLE-NAME>
  <APPLICANT-LAST-NAME>Smith</APPLICANT-LAST-NAME>
</APPLICANT>
```

Other Applicant Data

The last data subset encapsulated by the `<RENTALAPP>` parent element set in the Blue Moon DTD is `<OTHER>`. The values you pass in the `<OTHER>` section can be used to pre-fill fields which appear on the Online Rental Application but are not included in the printed form. Such fields include information to assist the property in placing the applicant in a unit matching his/her search criteria.

You are not required to pass any of the fields in this group (unless you are bypassing the Blue Moon graphical interface as described later in this document).

Example: Passing Other Applicant Data

```
<OTHER>
  <COMMENT>I really want to live in this community!</COMMENT>
</OTHER>
```

Passing XML Data to the Online Rental Application

There are many ways to exchange XML data on the Web. The Online Rental Application accepts XML data via a secure HTTP POST-method form submission.

Blue Moon provides links to simple form templates for sending data to the Online Rental Application at <http://www.bluemoonforms.com/?p=resources/developers/importleasedata>.

Note the following requirements:

- For properties using the TAA or NAA lease, the form POST action must be:
<https://www.bluemoonforms.com/rentalapp/index.php>
- For properties using the AANC lease, the form POST action must be:
<https://www.bluemoonforms.com/rentalapp/index.php?ver=AANC>
- For properties using the GAA lease, the form POST action must be:
<https://www.bluemoonforms.com/rentalapp/index.php?ver=GAA>
- The field containing your XML data must be named **IMPORTXML** (this name is case-sensitive)
- You may not include a custom DTD in your XML string. The Blue Moon DTD will be transparently pre-pended to your XML string and used to validate your data.
- You must “escape” quotes as necessary within your data to prevent premature termination of the **IMPORTXML** field’s value statement.
- You must pass a value for **<TO-EMAIL>** so that the property can be notified upon submission of application.
- The Blue Moon DTD defines data types for many fields. Field elements whose type is not explicitly defined in the DTD are implied to expect generic string character data.

The various data types contained in the Blue Moon DTD are:

Data Type	Description	Valid Examples
<code>boolean</code>	Expects TRUE/FALSE value (used with field elements corresponding to non-exclusive checkboxes)	TRUE FALSE true False T f
<code>currency</code>	Dollar value	500.00 500 (cents omitted)
<code>date</code>	Full date	01/05/2015 1/5/15 (leading zeros omitted) 1-5-15 (dashes as separator)
<code>day</code>	Day of the month	Any integer value between 1 and 31
<code>email</code>	E-mail address	johnq@gmail.com
<code>phone</code>	Phone number	(512) 322-0460 (512)322-0460 512-322-0460 5123220460

sex	Expects MALE/FEMALE value (used with some field elements corresponding to mutually exclusive checkboxes)	MALE FEMALE Male Female M f
yesno	Expects YES/NO value (used with some field elements corresponding to mutually exclusive checkboxes)	YES NO yes No Y n
zip	Zip code	78701 78701-4125 (zip + 4-digit code)

NOTE:

If the format of any of your application data values is inconsistent with the data types defined in the Blue Moon DTD, the import process will be terminated.

- If you wish to include a section on the application for obtaining credit card information, you must specify `<CREDIT-CARDS-ACCEPTED>`. Located in the `<SETTINGS>` group, `<CREDIT-CARDS-ACCEPTED>` is comma-delimited list of the card types accepted (e.g., MasterCard, Visa, etc.). Additionally, you must include values for the `<NONREFUNDABLE-APPLICATION-FEE>` and/or the `<CREDIT-APPLICATION-FEE>` elements.
- `<CREDIT-APPLICATION-FEE>` should only be passed if the `<NONREFUNDABLEAPPLICATION-FEE>` is not applicable, but payment for other fees/deposits will be collected, OR if the total amount of all fees/deposits is different than the `<NONREFUNDABLE-APPLICATION-FEE>`.

If you do not specify a `<CREDIT-APPLICATION-FEE>`, the credit card payment amount to be collected will be the value of the `<NONREFUNDABLE-APPLICATION-FEE>`.

NOTE:

Blue Moon Software does not process credit card payment transactions. This feature is merely provided as a convenient, secure method for accepting credit information online.

- Some fields located on the second page of the rental application can only be completed if the application is being submitted to a “Residential” or “Condominium/Townhome” type property. The property type associated with the application is determined by the property database that is assigned to the application. Most Click & Lease accounts contain only one property. However, some accounts have multiple properties, such as “Residential,” “Condo,” etc. Each property is assigned a unique “property number.” By supplying the property number to the Online Rental Application by means of the `<PROPERTY-NUMBER>` element, which is encapsulated by the `<LEASE>` element subset, the Click & Lease program is able to determine the property type. If the `<PROPERTY-NUMBER>` element is not passed to the Online Rental Application, the property type of the first property in your Click & Lease account is assigned to the rental application.

NOTE:

If your Click & Lease account contains a single property, you need never pass a value for `<PROPERTY-NUMBER>`, as the property type is automatically obtained from your first and only property.

If you do wish to assign a specific property type to the application, you must pass its corresponding property number. Passing an invalid property number to the Online Rental Application will result in termination of the import process.

Setting Custom Field Requirements

In order to reduce or eliminate the number of partially completed applications they receive, some properties may want to exert control over the minimum information that each applicant must provide in order to submit the application successfully. This can now be accomplished by inserting a “flag” attribute in the element tag of each field you wish to require, as shown in the following example.

Example: Specifying Required Fields

```
<APPLICANT>
  <APPLICANT-BIRTH-DATE required='yes' />
  <CURRENT-ADDRESS required='yes' />
  <CURRENT-CITY required='yes' />
  <CURRENT-ST required='yes' />
  <CURRENT-ZIP required='yes' />
</APPLICANT>
```

Based on the above snippet, the applicant would not be able to complete the application without entering his date of birth and current address information.

Any field which appears in the Online Rental Application interface can be flagged as “required.”

About Default Lease Data

Some of the items found on the printed rental application which are designated for completion by the property manager can be pre-filled with values from the Click & Lease default lease settings. This feature eliminates the need to pass values to the Online Rental Application that do not often change from one lease contract to the next. You can, however, override values from the default lease settings with custom values of your own by explicitly passing values for those field elements.

Example 1: Overriding Default Lease Info

```
<LEASE>
  <COMMON>
    .
    .
  </COMMON>
  <OTHER>
    <RELETTING-CHARGE>250.00</RELETTING-CHARGE>
    <RETURNED-CHECK-CHARGE>25.00</RETURNED-CHECK-CHARGE>
    <NUMBER-OF-APARTMENT-KEYS>3</NUMBER-OF-APARTMENT-KEYS>
  </OTHER>
</LEASE>
```

In certain instances, you may wish for a specific field to be left blank, even though the default lease settings contains a value for that field. This can be accomplished by passing an “empty tag” for the field element in question, which can take the form <FIELD-NAME></FIELD-NAME> or <FIELD-NAME/>.

Example 2: Overriding Default Lease Settings with Empty Values

```
<LEASE>
  <COMMON>
    .
    .
  </COMMON>
  <OTHER>
    <RELETTING-CHARGE/>
    <RETURNED-CHECK-CHARGE/>
    <NUMBER-OF-APARTMENT-KEYS/>
  </OTHER>
</LEASE>
```

For a complete listing of fields contained by the `<COMMON>` and `<OTHER>` element subsets, refer to the Blue Moon DTD.

Bypassing the Blue Moon Graphical Interface

While Blue Moon Software recommends that you use the standard graphical interface for collecting applicant data provided by the Online Rental Application, the Blue Moon application interface is flexible enough to allow property management companies who wish to host their own Web-based form interfaces to bypass the step-by-step graphical application interface altogether and submit the data directly for immediate processing.

In order to circumvent the standard form, the `<BYPASS>` tag must be included with a value of `True` in the data transmitted to the application interface (if a value of `False` is passed, the tag will be ignored).

Developers should also note that the following elements MUST be passed if `<BYPASS>` is included: `<APPLICANT-FIRST-NAME>`, `<APPLICANT-LAST-NAME>`, `<ACKNOWLEDGED-BY>`, `<AGREEMENT-ACCEPTED>`, `<RENTAL-SELECTION-CRITERIA-ACKNOWLEDGED>`, `<REQ-EMAIL>`, and `<REQ-PHONE>`.

The example that follows shows where these required fields are located in the data hierarchy.

Example: Passing elements required to bypass graphical interface

```
<RENTALAPP>
  <SETTINGS>
    <BYPASS>True</BYPASS>
    .
    .
  </SETTINGS>
  <APPLICANT>
    .
    .
    <APPLICANT-FIRST-NAME>John</APPLICANT-FIRST-NAME>
    <APPLICANT-LAST-NAME>Smith</APPLICANT-LAST-NAME>
    <ACKNOWLEDGED-BY>John Smith</ACKNOWLEDGED-BY>
    .
    .
  </APPLICANT>
  <OTHER>
    <AGREEMENT-ACCEPTED>True</AGREEMENT-ACCEPTED>
    <RENTAL-SELECTION-CRITERIA-ACKNOWLEDGED>True</RENTALSELECTION-CRITERIA-ACKNOWLEDGED>
```

```

    <REQ-EMAIL>john_smith@mail.com</REQ-EMAIL>
    <REQ-PHONE>(512) 555-5555</REQ-PHONE>
    .
    .
    </OTHER>
</RENTALAPP>

```

If the required data elements are not passed correctly, an error is returned. Upon successful transmission of the application data, the browser is redirected to a confirmation page, as determined by the values passed for <RECEIPT-CONFIRM-NAME>, <RECEIPT-CONFIRM-URL>, and <RECEIPT-REDIRECT-URL> (see explanation of these elements earlier in this document).

Generating a Printable PDF Directly

Properties who host their own Web-based form interfaces for collecting applicant data may wish to allow their own on-site employees to generate a printable application form in one step, without having to log into the Click & Lease interface manually. This assumes that the properties in question store applicant data internally for retrieval after the time of submission.

To this end, the Blue Moon application interface allows the property to transmit the stored applicant data in the prescribed XML format and receive a printable PDF document in return.

This can be accomplished by including the ID of the application form (TAA/NAA = **RENTWEB**; AANC and GAA = **APPLWEB**) encapsulated in <PRINT> element tags. The application data will be saved to the Click & Lease database, and that property's forms counter will be reduced by the appropriate number of clicks assessed for the form to be printed.

NOTE:

The following elements MUST be passed when requesting a PDF directly:

```

<APPLICANT-FIRST-NAME>, <APPLICANT-LAST-NAME>, <ACKNOWLEDGED-BY>,
<AGREEMENT-ACCEPTED>, and <RENTAL-SELECTION-CRITERIA-ACKNOWLEDGED>.

```

In addition, you must pass a valid User ID and password along with the Serial Number in the <LOGIN> section of your XML. This information is required to generate forms.

The example that follows shows how to generate a printable PDF directly by including the application form ID. Note that a Serial Number, User ID, and password are also included.

Example: Passing ID of form to print

```

<LOGIN>
  <SERIAL-NUMBER>MySerial</SERIAL-NUMBER>
  <USER-ID>MyUserID</USER-ID>
  <PASSWORD>MyPassword</PASSWORD>
</LOGIN>
<RENTALAPP>
  <PRINT>RENTWEB</PRINT>
  <SETTINGS>
  .
  .
  </SETTINGS>
  <APPLICANT>
  .
  .
  <APPLICANT-FIRST-NAME>John</APPLICANT-FIRST-NAME>

```

```

<APPLICANT-LAST-NAME>Smith</APPLICANT-LAST-NAME>
<ACKNOWLEDGED-BY>John Smith</ACKNOWLEDGED-BY>
.
.
</APPLICANT>
<OTHER>
<AGREEMENT-ACCEPTED>True</AGREEMENT-ACCEPTED>
<RENTAL-SELECTION-CRITERIA-ACKNOWLEDGED>True</RENTALSELECTION-
CRITERIA-ACKNOWLEDGED>
.
.
</OTHER>
</RENTALAPP>

```

Putting it All Together

Now that you understand the function and syntax of each data subset, let's construct an example combining all of the XML subsets.

Example: XML Data Set

```

<BLUEMOON>
  <LOGIN>
    <SERIAL-NUMBER>MySerial</SERIAL-NUMBER>
  </LOGIN>
  <RENTALAPP>
    <SETTINGS>
      <TO-NAME>My Property</TO-NAME>
      <TO-EMAIL>contact@propertyname.com</TO-EMAIL>
      <CREDIT-CARDS-ACCEPTED>MasterCard, Visa</CREDIT-CARDSACCEPTED>
      <RECEIPT-CONFIRM-URL>
        http://www.yourdomain.com/confirmation.html
      </RECEIPT-CONFIRM-URL>
    </SETTINGS>
    <APPLICANT>
      <APPLICANT-BIRTH-DATE required='yes' />
      <NONREFUNDABLE-APPLICATION-FEE>50.00</NONREFUNDABLEAPPLICATION-FEE>
    </APPLICANT>
    <OTHER>
      <COMMENT>I really want to live in this community!</COMMENT>
    </OTHER>
  </RENTALAPP>
</BLUEMOON>

```

For additional resources, including a user-friendly tool for generating the code needed to link to the Online Rental Application, please visit the Blue Moon Software Web site and click on the **Resources** menu, or go directly to <http://www.bluemoonforms.com/?p=resources/onlinerentalapplication>.

Processing Rental Applications

After the user has submitted the Online Rental Application, that data can be accessed from your Click & Lease account.

1. Log into the Click & Lease program online.
2. After you log in successfully, you will be alerted if you have received any new rental applications since your last visit, at which point, you can elect to view a list of your rental applications immediately. If you do not receive an alert, you can view a list of your applications by clicking on the **Application Forms** tab and then clicking on the **Online Rental Applications** link.
3. The *Online Rental Applications* screen will display all the rental application records currently stored in your Click & Lease account. By default, these records are sorted by the date they were submitted, so the most recent applications appear first. If you'd like, you can also sort them by *Applicant Name*.
4. Click **View** next to the record you want to open in the Online Rental Application editor. (You can remove old records by clicking **Delete**.)
5. After clicking **View**, the application record you selected will open in the Online Application editor. You can browse the various sections of the application form by clicking the links in the left margin of the editor screen.

NOTE:

You will not be able to change the contents of fields submitted by the applicant. This information can only be accessed by the applicant at the time of application submission. In addition, some fields may not be editable depending upon the application lease type (see next step).

6. Many of the fields that appear in the sections you will complete have been populated by data from your default lease settings at the time of application submission – unless they were explicitly overridden by data contains in XML field elements during the application initialization process. You are free to change these values before printing.
7. Review the information, fill out or change relevant information, and then print out the application.